

Welcome!

This packet is to help you and your family stay healthy during the COVID-19 pandemic after your arrival to the United States. Keep this packet with you as it contains important information for you and your family to follow and know about COVID-19.



COVID-19 is an illness caused by a virus that can spread person to person. COVID-19 cases and deaths have been reported in most communities in the United States. State and local governments have different rules regarding COVID-19 and some may require recent travelers to stay home for 14 days. Your resettlement agency case worker will help you find your new community's information on COVID-19.

You can get COVID-19 during your travels. You may feel well and not have any symptoms, but you can still spread COVID-19 to others. You and your travel companions (including children) may spread COVID-19 to other people including your family, friends, and community for 14 days after you were exposed to the virus.

Therefore, take these precautions to protect yourself and others:



Stay home as much as possible for the first 14 days after arrival. For advice on how to safely meet basic household needs within your local community, see "Running Essential Errands" in your language. https://bit.ly/nativelanguage



Avoid being around people at increased risk for severe illness from COVID-19.
To learn who is at higher risk, see "People Who Are at Increased Risk for Severe

Illness" in your language. https://bit.ly/nativelanguage



When around others, stay at least 2 meters (6 feet) from other people who are not from your household. It is important to do this everywhere, both indoors and outdoors.



Wear a mask to keep your nose and mouth covered when you are outside of your home.



Wash your hands often or use hand sanitizer that contains at least 60% alcohol.



Watch your health: Look for symptoms of COVID-19 and take your temperature if you feel sick.




If you get sick, call ahead before seeing a doctor.



Contact your resettlement agency case worker if you have questions.



WATCH FOR SYMPTOMS OF COVID-19, WHICH CAN INCLUDE THE FOLLOWING:



Symptoms can range from mild to severe illness and can appear 2-14 days after you were exposed to the virus that causes COVID-19. This list does not include all possible symptoms. Please call a doctor for any symptoms that are severe or concerning to you.



Watch your health: Look for symptoms of COVID-19 and take your temperature if you feel sick. Fever is 100.4°F/38°C or higher.

With COVID-19, fever can come and go, and some people might not have a fever at all. Fever is less likely in people with some underlying medical conditions, older adults, or people taking certain fever-reducing medications such as acetaminophen, paracetamol, or ibuprofen.

*Seek medical care immediately if someone has emergency warning signs of COVID-19.

- Trouble breathing
- Persistent pain or pressure in the chest
- New confusion

- Inability to wake or stay awake
- Bluish lips or face



If you get sick with fever, cough, or other symptoms of COVID-19:



Stay home. Avoid contact with others until it is safe for you to end home isolation.



You might have COVID-19; most people are able to recover at home without medical care.



Call your resettlement agency case worker if you need help, such as needing an interpreter to talk to a doctor.



Stay in touch with a doctor.

If you are worried about your symptoms, call or text before you go to a doctor's office or emergency room. Tell them about your recent

travel and your symptoms.



If you have an emergency warning sign (including trouble breathing), call 911 to get emergency medical care immediately. Tell them about your recent travel and your symptoms.



If you live in close quarters with others, take additional precautions to protect them.

Find out when you can be around others after you had or likely had COVID-19.

Learn more at https://bit.ly/endhomeisolation.

For more information about COVID-19 in your language, visit https://bit.ly/nativelanguage.







Turn the thermometer on by pressing the button near the screen.





Hold the tip of the thermometer under your tongue until it beeps. Don't bite the thermometer.

3



Read your temperature on the screen.





Record your temperature.

5



Please note: for a child younger than 4 years old, place the thermometer under the child's arm in the center of the arm pit.

Tell the public health worker or doctor that you are taking your child's temperature this way.

6



Clean your thermometer with soap and water or an alcohol pad.



WHERE TO GET HELP

Call your resettlement agency case worker if you have questions or need help with anything. Record their contact information below.

Resettlement Agency Case Worker Contact Information

Name:

Phone number:



For more information about COVID-19 in your language, visit https://bit.ly/nativelanguage.

